




## NTN Bearing de Mexico, S.A.



NJ 2312 ECML/C3 Bearing 2D drawings and 3D CAD models

2.362 Inch | 60 Millimeter x 5.118 Inch | 130  
Millimeter x 1.811 Inch | 46 Millimeter SKF NJ  
2312 ECML/C3 Cylindrical Roller Bearings

Bearing No. NJ 2312 ECML/C3

Category	Cylindrical Roller Bearings
Inventory	0.0
Manufacturer Name	SKF
Minimum Buy Quantity	N/A
Weight	3.14
EAN	7316577727183
Product Group	B04144
Bore Profile	Straight
Cage Material	Brass
Precision Class	RBEC 1   ISO P0
Number of Rows of Rollers	Single Row
Separable	Inner Ring - One Side
Rolling Element	Cylindrical Roller Bearing
Profile	Complete with Outer and Inner Ring
Snap Ring	No
Internal Clearance	C3-Loose
Retainer	Yes
Relubricatable	Yes
Inch - Metric	Metric
Other Features	High Capacity   1 Rib Inner Ring   2 Rib Outer Ring   Cage on Outer Ring ID
Long Description	60MM Bore; Straight Bore Profile; 130MM Outside Diameter; 46MM Width;



## NTN Bearing de Mexico, S.A.

	Brass Cage Material; RBEC 1   ISO P0; Single Row; Inner Ring - One Side Separable; No Snap Ring; Relubricatable; C3-Loose Interna
Category	Cylindrical Roller Bearing
UNSPSC	31171547
Harmonized Tariff Code	8482.50.00.00
Noun	Bearing
Manufacturer URL	<a href="http://www.skf.com">http://www.skf.com</a>
Manufacturer Item Number	NJ 2312 ECML/C3
Weight / LBS	6.916
D	5.118 Inch   130 Millimeter
d	2.362 Inch   60 Millimeter
B	1.811 Inch   46 Millimeter
bore diameter:	60 mm
static load capacity:	265 kN
outside diameter:	130 mm
precision rating:	Not Rated
overall width:	46 mm
maximum rpm:	6700 RPM
flanges:	(2) Outer Ring, (1) Inner Ring
bearing material:	Steel
bore type:	Straight
cage material:	Brass
number of rows:	1
finish/coating:	Uncoated
internal clearance:	C3
closure type:	Open
ring separation:	Separable Ring
outer ring width:	46 mm
operating temperature	Maximum of +300 ° F



## NTN Bearing de Mexico, S.A.

range:	
fillet radius:	2 mm
dynamic load capacity:	260 kN
series:	NJ23