



NTN Bearing de Mexico, S.A.



7208 ACD/P4ADGB Bearing 2D drawings and 3D CAD models

1.575 Inch | 40 Millimeter x 3.15 Inch | 80
Millimeter x 1.417 Inch | 36 Millimeter SKF 7208
ACD/P4ADGB Precision Ball Bearings

Bearing No. 7208 ACD/P4ADGB

| | |
|----------------------|---|
| Category | Precision Ball Bearings |
| Inventory | 0.0 |
| Manufacturer Name | SKF |
| Minimum Buy Quantity | N/A |
| Weight | 0.77 |
| EAN | 7316577066497 |
| Product Group | B04270 |
| Enclosure | Open |
| Precision Class | ABEC 7 ISO P4 |
| Material - Ball | Steel |
| Number of Bearings | 2 (1 Pair) |
| Contact Angle | 25 Degree |
| Preload | Medium |
| Raceway Style | 1 Rib Outer Ring |
| Cage Material | Phenolic |
| Rolling Element | Ball Bearing |
| Mounting Arrangement | Duplex-Universal |
| Flush Ground | Yes |
| Inch - Metric | Metric |
| Other Features | Single Row Angular Contact Super Precision High Capacity |
| Long Description | 40MM Bore; 80MM Outside Diameter; 36MM Width; Open Enclosure; ABEC 7 ISO P4 Precision; |



NTN Bearing de Mexico, S.A.

| | |
|-------------------------------|---|
| | Steel Ball Material; 2 (1 Pair) Bearings; 25 Degree Contact Angle; Phenolic Cage Material; 1 Rib Outer Ring Rac |
| Category | Precision Ball Bearings |
| UNSPSC | 31171531 |
| Harmonized Tariff Code | 8482.10.50.28 |
| Noun | Bearing |
| Keyword String | Angular Contact Ball |
| Manufacturer URL | http://www.skf.com |
| Manufacturer Item Number | 7208 ACD/P4ADGB |
| Weight / LBS | 1.689 |
| D | 3.15 Inch 80 Millimeter |
| B | 1.417 Inch 36 Millimeter |
| d | 1.575 Inch 40 Millimeter |
| bore diameter: | 40 mm |
| radial dynamic load capacity: | 39 kN |
| outside diameter: | 80 mm |
| radial static load capacity: | 27 kN |
| overall width: | 18 mm |
| bearing material: | Steel |
| contact angle: | 25 ° |
| maximum rpm: | 26000 RPM |
| internal clearance: | C0 |
| finish/coating: | Uncoated |
| ball screw application: | Not for Ball Screws |
| outer ring width: | 18 mm |
| closure type: | Open |
| fillet radius: | 1 mm |
| precision rating: | ABEC 7 (ISO Class 4) |
| series: | 72 |